



2018 IRC Question Of The Week

Where the enforcement of a code provision would violate the conditions of an appliance's listing, the conditions of the listing _____ .

- A) are no longer valid
- B) may be disregarded
- C) shall apply
- D) are optional

R102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections R102.4.1 and R102.4.2.

Exception: Where enforcement of a code provision would violate the conditions of the *listing* of the *equipment* or *appliance*, the conditions of the *listing* and manufacturer's instructions shall apply.





2018 IBC Question Of The Week

Roofs shall be without concealed spaces in buildings of Type ____ construction.

- A) I
- B) III
- C) IV
- D) V




602.4 Type IV. Type IV construction is that type of construction in which the exterior walls are of noncombustible materials and the interior building elements are of solid wood, laminated wood, heavy timber (HT) or structural composite lumber (SCL) without concealed spaces. The minimum dimensions for permitted materials including solid timber, glued-laminated timber, structural composite lumber (SCL), and cross-laminated timber and details of Type IV construction shall comply with the provisions of this section and Section 2304.11. Exterior walls complying with Section 602.4.1 or 602.4.2 shall be permitted. Interior walls and partitions not less than 1-hour fire-resistance rating or heavy timber complying with Section 2304.11.2.2 shall be permitted.





2018 Permit Tech Question Of The Week

Provisions of the appendix located in the IBC do not apply unless _____.

- A) specified in the code
- B) applicable to unique conditions
- C) specifically adopted 
- D) relevant to fire or life safety

[A] 101.2.1 Appendices. Provisions in the appendices shall not apply unless specifically adopted.

APPENDIX C GROUP U—AGRICULTURAL BUILDINGS 647

Section

- C101 General 647
- C102 Allowable Height and Area 647
- C103 Mixed Occupancies. 647
- C104 Exits 647

APPENDIX D FIRE DISTRICTS 649

Section

- D101 General 649
- D102 Building Restrictions 649
- D103 Changes to Buildings 650
- D104 Buildings Located Partially in the Fire District. 650
- D105 Exceptions to Restrictions in Fire District 650
- D106 Referenced Standards 651