





## 2021 IBC Question Of The Week

An electrical vehicle charging station shall have an accessible vehicle space that is \_\_\_\_ inches minimum in width with an adjoining access aisle that is \_\_ inches minimum in width.

- A) 120, 60
- B) 132, 60
- C) 144, 72
- D) 152, 90



### SECTION 1107 MOTOR-VEHICLE-RELATED FACILITIES



**1107.1 General.** Electrical vehicle charging stations shall comply with Section 1107.2. Fuel-dispensing systems shall comply with Section 1107.3.

**1107.2 Electrical vehicle charging stations.** Electrical vehicle charging stations shall comply with Sections 1107.2.1 and 1107.2.2.

**Exception:** Electrical vehicle charging stations provided to serve Group R-2, R-3 and R-4 occupancies are not required to comply with this section.

**1107.2.1 Number of accessible vehicle spaces.** Not less than 5 percent of vehicle spaces on the site served by electrical vehicle charging systems, but not fewer than one for each type of electric vehicle charging system, shall be accessible.

**1107.2.2 Vehicle space size.** Accessible vehicle spaces shall comply with the requirements for a van accessible parking space that is 132 inches (3350 mm) minimum in width with an adjoining access aisle that is 60 inches (1525 mm) minimum in width.



### 1107.2: Electrical vehicle charging stations. CDP INSIGHTS

Electrical vehicle charging stations shall comply with Sections 1107.2.1 and 1107.2.2.

#### Exceptions:

1. *Electrical vehicle charging stations* provided to serve Group R-3 and R-4 occupancies are not required to comply with this section.
2. *Electric vehicle charging stations used exclusively by buses, trucks, other delivery vehicles, law enforcement vehicles and motor pools* are not required to comply with this section.