





2021 IBC Question Of The Week

Where exit signs are required in Group R-1 occupancies, additional low-level exit signs shall be provided in all areas serving guest rooms and shall have the bottom of the sign not less than ___ inches nor more than ___ inches above the floor.


- A) 6, 12
- B) 8, 16
- C) 10, 18
- D) 12, 24



1013.2 Low-level exit signs in Group R-1.

Where exit signs are required in Group R-1 occupancies by Section 1013.1, additional low-level exit signs shall be provided in all areas serving guest rooms in Group R-1 occupancies and shall comply with Section 1013.5.

The bottom of the sign shall be not less than 10 inches nor more than 18 inches above the floor level. The sign shall be flush mounted to the door or wall. Where mounted on the wall, the edge of the sign shall be within 4 inches of the door frame on the latch side.



1013.2 Low-level exit signs in Group R-1.

Where exit signs are required in Group R-1 occupancies by Section 1013.1, additional low-level exit signs shall be provided in all areas serving guestrooms in Group R-1 occupancies and shall comply with Section 1013.5.

The bottom of the sign shall be not less than 10 inches nor more than 18 inches above the floor level. The sign shall be flush mounted to the door or wall. Where mounted on the wall, the edge of the sign shall be within 4 inches of the door frame on the latch side.

Exception: Low-level exit signs are not required in Group R-1 occupancies when the building is equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.1 or 903.3.1.2.